NCBI Bookshelf. A service of the National Library of Medicine, National Institutes of Health.

StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan-.

Physiology, Muscle Contraction

Authors

Matthew C. Gash¹; Matthew Varacallo².

Affiliations

¹ East Tennessee St. University
² Department of Orthopaedic Surgery, University of Kentucky School of Medicine

Last Update: December 30, 2018.

Introduction

Muscle contraction throughout the human body can be broken down based on muscle subtype specialization to accomplish its dynamic function. In general, muscle fibers are classified into 2 large categories[1]:

- Striated muscle fibers
 - Cardiac muscle tissue (involuntary)
 - Skeletal muscle tissue (voluntary)
- Smooth muscle fibers
 - Located in the walls of the hollow, visceral organs (involuntary)

Cardiac and skeletal muscle are types of striated muscle, although the former is under involuntary controlled by the body's autonomic nervous system (ANS).[2] In contrast, skeletal muscle is under voluntary control designed to carry out its dynamic physiologic function. Smooth muscle, which is found in blood vessels, the gastrointestinal (GI) tract, bronchioles, the uterus, and the bladder, is under involuntary control by reflexes and the body's autonomic nervous system.[3]

Organ Systems Involved

The musculoskeletal system is complex and requires voluntary control which manifests in the dynamic function via striated skeletal muscle. This helps people perform most of their cognitive movements, for example, walking, talking, throwing a ball, or even sitting upright in a chair.

Smooth muscle is involved in many organ systems such as the blood vessels of the cardiovascular system, the GI tract, the respiratory tract, and the reproductive tract.

Mechanism

Striated Muscle[4][5][6][7]

To understand the mechanism by which striated muscle contracts, it is first important to understand its structure. The striated muscles in our body are made up of many individual muscle fibers. Inside these muscle fibers are smaller units called myofibrils which are made of parallel thin and thick filaments. These filaments are arranged longitudinally in small units known as sarcomeres. These repeating sarcomeres give the muscle a striated appearance under microscopy, which accounts for its name.[8]

The thick filaments are made from the protein myosin, which has 2 heavy chains, and 2 pairs of light chains (be careful not to confuse the heavy and light chains of myosin with the thin and thick filaments of myofibrils). At the tail of the thick filament, the 2 heavy chains are intertwined in a helical formation. At the other end of the thick filament, each heavy chain is paired with two light chains giving rise to 2 heads. The myosin heads have an actin-binding site which helps them attach to the thin filaments.[8]

The thin filaments are composed of actin, tropomyosin, and troponin. Actin is a globular protein which combines with other actin globules to form two intertwined strands with a positive and negative end. The double-stranded actin filaments are covered by tropomyosin, which blocks the interaction between myosin and actin when the muscle is inactive. Troponin is composed of troponins I, T, and C, and it is located along the actin filaments next to tropomyosin.[8]

The complex process leading to muscle contraction, called excitation-contraction coupling, begins when an action potential causes depolarization in the myocyte membrane. The depolarization is spread via the transverse (T) tubules, which are invaginations of the muscle cell membrane – these help to spread depolarization signals to the entire muscle fiber. Depolarization of the T tubules causes a conformational change in the dihydropyridine receptors, which causes the opening of nearby ryanodine receptors on the sarcoplasmic reticulum (SR), the storage site for calcium within muscle cells. When calcium is released from the SR, it binds to troponin C. This causes a conformation change, which shifts tropomyosin, allowing the myosin heads to attach to the actin filaments creating what is known as a cross-bridge. Then cross-bridge cycling begins. When ATP binds to an ATP binding domain on the myosin head, it causes the myosin to dissociate from the actin, breaking the cross-bridge. ATP is then hydrolyzed into ADP and P, which causes the myosin heads to change conformation and move toward the positive end of the actin, cocking the myosin head. The phosphate is released, and the ADP bound myosin binds to a new location on the actin filament. ADP is then released which causes the myosin to return to its original position, pulling on the actin filament when doing so causing the sarcomere (and therefore the muscle fiber) to contract.[8] These cycles continue until calcium levels in the myocyte fall, causing tropomyosin to again cover the myosin binding sites of the actin filaments.

Smooth Muscle

In smooth muscle, the same thin and thick filaments discussed in striated muscle are present. However, in smooth muscle, they are not organized into sarcomeres. Additionally, the mechanism of excitation-contraction coupling in smooth muscle differs as well. The first difference is in the mechanism that Ca enters the cell. There are 3 mechanisms that increase intracellular concentration. The first is that voltage-gated Ca channels are activated by membrane depolarization, allowing Ca to enter the cell. The second mechanism is that hormones or neurotransmitters can open ligand-gated channels on the cell membrane. Last, hormones and neurotransmitters such as norepinephrine and angiotensin II, can, via the phospholipase-C pathway, cause an increase in intracellular inositol triphosphate IP3. IP3 can bind to receptors on the SR and cause Ca to be released.[3] Once Ca is released, instead of binding to troponin C as it did in striated muscle, it binds to a protein called calmodulin. Calmodulin then activates myosin light chain kinase, which, as the name suggests, phosphorylates myosin light chain. The phosphorylated myosin light chain has ATPase activity which hydrolyzes ATP, increasing its affinity to actin. The myosin can then readily bind actin. From this point, the cross-bridge cycling is the same as it was in striated muscle.[3] As long as there is Ca2+ bound to calmodulin, and the MLCK is still phosphorylated, the smooth muscle will remain contracted. This allows for prolonged periods of vasoconstriction in blood vessels.

Clinical Significance

Cardiac Troponin Assays/Testing[9]

An essential component in the diagnosis of an acute myocardial infarction (MI) is based at least initially on the

detection of a rise in the concentration of biomarkers indicative of underlying myocardial necrosis. Although the definition of a clinically meaningful "rise" in serum/blood levels has been debated, in 2012 Thygesen et al. refined this clinically relevant range as one value above the 99th percentile upper reference limit of normal.[10] The implementation of increasingly sophisticated cardiac troponin assays has improved the diagnostic capabilities, risk stratification, triage, and care in patients presenting with suspected myocardial infarction (MI).[11]

In the setting of a patient who is complaining of angina (chest pain), cardiac troponins (I and T) are regularly checked to facilitate the diagnosis (or ruling out) an acute MI. Cardiac tissue/cells necrose, releasing intracellular contents (including these proteins, or cardiac troponins) into the bloodstream.[12] Health care providers are often challenged with a complex differential diagnosis which, in the setting of a patient presenting with chest pain, includes ruling out an acute MI. An exhaustive scope of the management of an acute MI is beyond this review, but the diagnostic complexity ranges from straightforward musculoskeletal-based (i.e., costochondritis) etiologies to complete multi-vessel coronary artery blockages.

Other troponin considerations

It is important to recognize that many organ systems are governed by smooth muscle function. Among other functions, troponins are ubiquitous in the lining of the blood vessels and serve critical functions that include dilation and constriction (playing a role in lowering/raising blood pressure, respectively). Troponins also drive the peristaltic motions in the GI tract.

Smooth muscle also lines the respiratory tract. In a patient with a severe asthma attack, the smooth muscles lining their bronchioles constrict which makes breathing difficult. Another very important implication of muscle contraction is in pregnancy. The uterus contains smooth muscle, and when a pregnant woman is in labor, it is the smooth muscle of the uterus contracting that pushes the baby out.

Muscle Cramps[13]

Muscle cramps result in continuous, involuntary, painful, and localized contraction of an entire muscle group, individual single muscle, or select muscle fibers. Generally, the cramp can last from minutes to a few seconds for idiopathic or known causes with healthy subjects or in the presence of diseases. Palpating the muscle area of the cramp will present a knot.

Exercise-associated muscle cramps are the most frequent condition requiring medical/therapeutic intervention during sports.[14] The specific etiology is not well understood, and possible causes depend on the physiological or pathological situation in which the cramps appear. It is important to note that a painful contraction that is limited to a specific area does not mean that the cause of the onset of the cramp is necessarily local.

In certain clinical scenarios, the underlying etiology may be related to persistent, spastic muscle contractions that significantly can impact human function. A common example of this condition is manifested in the sternocleidomastoid muscle. Clinically, this is recognized in congenital torticollis and/or spasmodic torticollis.[15]

Other relevant conditions in this realm include, but are not limited to the following:

- Exercise-induced and heat-related muscle cramping[16][17]
- Piriformis syndrome[18][19]
- Thoracic outlet syndrome (scalene muscle hypertrophy/spasticity)[20]

On the opposite end of the spectrum, various muscle palsies exist secondary to the long-term, downstream effects of various nerve conditions and neuropathies that can result in frankly flaccid conditions (which may be permanent or temporary). These conditions include, but are not limited to the following:

- Bell's palsy[21]
- Guyon canal syndrome[22]
- AIN syndrome[23] or PIN syndrome[24]
- Klumpke's palsy[25]

Questions

To access free multiple choice questions on this topic, click here.

References

- Webb RC. Smooth muscle contraction and relaxation. Adv Physiol Educ. 2003 Dec;27(1-4):201-6. [PubMed: 14627618]
- Frontera WR, Ochala J. Skeletal muscle: a brief review of structure and function. Calcif. Tissue Int. 2015 Mar;96(3):183-95. [PubMed: 25294644]
- 3. Boateng S, Sanborn T. Acute myocardial infarction. Dis Mon. 2013 Mar;59(3):83-96. [PubMed: 23410669]
- Visone R, Gilardi M, Marsano A, Rasponi M, Bersini S, Moretti M. Cardiac Meets Skeletal: What's New in Microfluidic Models for Muscle Tissue Engineering. Molecules. 2016 Aug 26;21(9) [PMC free article: PMC6274098] [PubMed: 27571058]
- Ludwig PE, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Nov 14, 2018. Neuroanatomy, Central Nervous System (CNS) [PubMed: 28723039]
- Chapman MA, Meza R, Lieber RL. Skeletal muscle fibroblasts in health and disease. Differentiation. 2016 Sep;92(3):108-115. [PMC free article: PMC5079803] [PubMed: 27282924]
- 7. Gropp KE. Skeletal Muscle Toolbox. Toxicol Pathol. 2017 Oct;45(7):939-942. [PubMed: 29034769]
- Bordoni B, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Anatomy, Tendons. [PubMed: 30020609]
- Bordoni B, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Dec 13, 2018. Anatomy, Fascia. [PubMed: 29630284]
- Brush JE, Kaul S, Krumholz HM. Troponin Testing for Clinicians. J. Am. Coll. Cardiol. 2016 Nov 29;68(21):2365-2375. [PubMed: 27884254]
- 11. Thygesen K, Mair J, Giannitsis E, Mueller C, Lindahl B, Blankenberg S, Huber K, Plebani M, Biasucci LM, Tubaro M, Collinson P, Venge P, Hasin Y, Galvani M, Koenig W, Hamm C, Alpert JS, Katus H, Jaffe AS., Study Group on Biomarkers in Cardiology of ESC Working Group on Acute Cardiac Care. How to use high-sensitivity cardiac troponins in acute cardiac care. Eur. Heart J. 2012 Sep;33(18):2252-7. [PubMed: 22723599]
- Kozinski M, Krintus M, Kubica J, Sypniewska G. High-sensitivity cardiac troponin assays: From improved analytical performance to enhanced risk stratification. Crit Rev Clin Lab Sci. 2017 May;54(3):143-172. [PubMed: 28457177]
- Bordoni B, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Muscle Cramps. [PubMed: 29763070]
- Giuriato G, Pedrinolla A, Schena F, Venturelli M. Muscle cramps: A comparison of the two-leading hypothesis. J Electromyogr Kinesiol. 2018 Aug;41:89-95. [PubMed: 29857264]
- 15. Bordoni B, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Dec 13, 2018.

- Anatomy, Head and Neck, Sternocleidomastoid Muscle. [PubMed: 30422476]
- Yousef H, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Physiology, Thermal Regulation. [PubMed: 29763018]
- 17. Noonan B, Bancroft RW, Dines JS, Bedi A. Heat- and cold-induced injuries in athletes: evaluation and management. J Am Acad Orthop Surg. 2012 Dec;20(12):744-54. [PubMed: 23203934]
- Hicks BL, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Nov 15, 2018. Piriformis Syndrome. [PubMed: 28846222]
- Chang A, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Piriformis Injection. [PubMed: 28846327]
- 20. Bordoni B, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Nov 14, 2018. Anatomy, Head and Neck, Scalenus Muscle. [PubMed: 30085600]
- Warner MJ, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Nov 14, 2018. Bell Palsy. [PubMed: 29493915]
- 22. Aleksenko D, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Guyon Canal Syndrome. [PubMed: 28613717]
- 23. Akhondi H, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Nov 23, 2018. Anterior Interosseous Syndrome. [PubMed: 30247831]
- 24. Ramage JL, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Dec 3, 2018. Anatomy, Shoulder and Upper Limb, Wrist Extensor Muscles. [PubMed: 30521226]
- 25. Merryman J, Varacallo M. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Oct 27, 2018. Klumpke Palsy. [PubMed: 30285395]

Copyright © 2018, StatPearls Publishing LLC.

This book is distributed under the terms of the Creative Commons Attribution 4.0 International License (<u>http://creativecommons.org/licenses/by/4.0/</u>), which permits use, duplication, adaptation, distribution, and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, a link is provided to the Creative Commons license, and any changes made are indicated.

Bookshelf ID: NBK537140 PMID: 30725825